Ceramic

Ceramics are made of quartz sand compress and mould into the embryo body and then glazed and fired to solidify. Ceramic mosaic retains the simplicity and weight of the pottery. Main color is white, black, blue, green and main shape is square and round shapes. It is also suitable for the decoration of fountains, swimming pools, bars, dance halls, stadiums and parks.

Pencil Glazed

1292TG151 (N)

1292TG205 (N)

1292TG355 (N)

1292TG367 (N)

chip size :	12x92x8mm	pcs/ctn :	15 pcs	weight/ctn :	20.22 kgs
sheet size :	294x282mm	sqm/ctn :	1.244 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Pencil Glazed

1292TN101 N

1292TN101M N

1292TN209 N

1292TN209M N

chip size :	12x92x8mm	pcs/ctn :	15 pcs	weight/ctn :	20.22 kgs
sheet size :	294x282mm	sqm/ctn :	1.244 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pencil Glazed

1292TG452 (N)

1292TG902 (N)

chip size :	12x92x8mm	pcs/ctn :	15 pcs	weight/ctn :	20.22 kgs
sheet size :	294x282mm	sqm/ctn :	1.244 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pencil Glazed-Big Pencil

22145TG151 (N)

22145TG205 (N)

22145TG355 (N)

22145TG367 (N)

chip size :	22x145x8mm	pcs/ctn :	12 pcs	weight/ctn :	16.03 kgs
sheet size :	296x300mm	sqm/ctn :	1.066 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Pencil Glazed-Big Pencil

22145TN101 N

22145TN101M N

22145TN209 N

22145TN209M N

chip size :	22x145x8mm	pcs/ctn :	12 pcs	weight/ctn :	16.03 kgs
sheet size :	296x300mm	sqm/ctn :	1.066 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pencil Glazed-Big Pencil

22145TG452 (N)



22145TG902 (N)

chip size :	22x145x8mm	pcs/ctn :	12 pcs	weight/ctn :	16.03 kgs
sheet size :	296x300mm	sqm/ctn :	1.066 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pencil Glazed-Circle

D28TG151



D28TG151 (N)



D28TG205 (N)



D28TG355 (N)



D28TG367 (N)

chip size :	Circle 28x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.27 kgs
sheet size :	312x330mm	sqm/ctn :	2.059 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pencil Glazed-Circle

D28TN101 N

D28TN101M N



D28TN209 N



D28TN209M N

chip size :	Circle 28x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.27 kgs
sheet size :	312x330mm	sqm/ctn :	2.059 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pencil Glazed-Circle



D28TG452 (N)



D28TG902 (N)

chip size :	Circle 28x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.27 kgs
sheet size :	312x330mm	sqm/ctn :	2.059 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

48TN101M

Simplicity Style-Square



48TN101



48TN101M

48TN209

48TN209M

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.67 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Square



23TN101



23TN101M



23TN209



23TN209M

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	20.07 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Rectangle

2348TN101



2348TN101M

2348TN209

2348TN209M

chip size :	23x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.43 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Rectangle

2348BTNB101

2348BTNB209

chip size :	23x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	20.47 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Rectangle

2348FTN101

2348FTN101M

2348FTN209

2348FTN209M

chip size :	Herringbone 23x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.17 kgs
sheet size :	283x283mm	sqm/ctn :	1.602 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

56OCTTN BLACK WHITE

Simplicity Style-Multiple Size

56OCTTN BLACK WHITE



56OCTTN BLUE WHITE

56OCTTN OFF WHITE

56OCTTN WHITE

chip size :	Octagon 56+23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	20.47 kgs
sheet size :	295x295mm	sqm/ctn :	1.741 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Multiple Size

102348TN101M



102348TN209101M

chip size :	23x48+10.5x10.5x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.47 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Herringbone

1248FTN101 (N)

1248FTN101M (N)

1248FTN201 (N)

1248FTN503 (N)

chip size :	Herringbone 12x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	18.19 kgs
sheet size :	277x283mm	sqm/ctn :	1.57 m²	ctn/plt :	63 ctns
Mounted :	mesh mounted				

Simplicity Style-Herringbone

1248FTN209

1248FTN209M

chip size :	Herringbone 12x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	18.19 kgs
sheet size :	277x283mm	sqm/ctn :	1.57 m²	ctn/plt :	63 ctns
Mounted :	mesh mounted				

23HTN WFLOWER

Simplicity Style-Hexagon



23HTN BFLOWER

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 17.95 kgs



23HTN WFLOWER

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 17.49 kgs



23HTNM BFLOWER

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 16.69 kgs



23HTNM WFLOWER

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 17.49 kgs

Mounted: mesh mounted

Simplicity Style-Hexagon



23HTN101

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 17.49 kgs



23HTN102

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 17.49 kgs



23HTN209

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	45 ctns	weight/ctn	: 17.48 kgs



23HTN209M

chip size	:Hexagon 23x26x6mm	sqm/ctn	: 1.794 m²
sheet size :	260x300mm	pcs/ctn	: 23 pcs
ctn/plt :	45 ctns	weight/ctn	: 17.48 kgs

Mounted: mesh mounted

Simplicity Style-Hexagon

650 mm

562 mm



51HTN BFLOWER

650 mm

562 mm



51HTN WFLOWER

650 mm

562 mm

51HTNM BFLOWER

650 mm

562 mm

51HTNM WFLOWER

chip size :	Hexagon 51x60x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.42 kgs
sheet size :	281x325mm	sqm/ctn :	1.827 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

60HTN101

Simplicity Style-Hexagon

60HTN101

60HTN101M

60HTN209

60HTN209M

chip size :	Hexagon 51x60x6mm	pcs/ctn :	20 pcs	weight/ctn :	20.87 kgs
sheet size :	281x325mm	sqm/ctn :	1.827 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Hexagon

95HTG101

95HTG305



95HTG403

95HTG502

chip size :	Hexagon 95x110x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	18.73 kgs
sheet size :	295.5x256mm	sqm/ctn :	1.362 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

95HTN101

Simplicity Style-Hexagon

95HTN101

95HTN101M

95HTN209



95HTN209M

chip size :	Hexagon 95x110x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	18.73 kgs
sheet size :	295.5x256mm	sqm/ctn :	1.362 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Long Hexagon

6095LHTG111

6095LHTG112

6095LHTG202

6095LHTG212

chip size :	Long Hexagon 60x95x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.87 kgs
sheet size :	268x294mm	sqm/ctn :	1.576 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Simplicity Style-Long Hexagon

6095LHTG501

6095LHTGB101

6095LHTGB102

6095LHTGB207

chip size :	Long Hexagon 60x95x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.87 kgs
sheet size :	268x294mm	sqm/ctn :	1.576 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Long Hexagon

6095LHTGB209

6095LHTGB305

6095LHTGB401

6095LHTGB404

chip size :	Long Hexagon 60x95x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.87 kgs
sheet size :	268x294mm	sqm/ctn :	1.576 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Long Hexagon

6095LHTGB414

6095LHTGB501

6095LHTGB503

6095LHTGB504

chip size	: Long Hexagon 60x95x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.87 kgs
sheet size :	268x294mm	sqm/ctn :	1.576 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Long Hexagon

6095LHTGB505

chip size	: Long Hexagon 60x95x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.87 kgs
sheet size :	268x294mm	sqm/ctn :	1.576 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Long Hexagon

48195LHTG101

48195LHTG305

48195LHTG403

48195LHTG502

chip size :	Long Hexagon 48x195x6mm	pcs/ctn :	18 pcs	weight/ctn :	19.01 kgs
sheet size :	257.5x313mm	sqm/ctn :	1.451 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Rhombus

4880RHTG101



4880RHTG205



4880RHTG208

4880RHTG501

chip size :	Rhombus 48x80x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.47 kgs
sheet size :	266x307.5mm	sqm/ctn :	1.636 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

M4880RHTG19

Simplicity Style-Rhombus



4880RHTG506

M4880RHTG19

M4880RHTG22

M4880RHTG23

chip size :	Rhombus 48x80x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.47 kgs
sheet size :	266x307.5mm	sqm/ctn :	1.636 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Rhombus

M4880RHTG56

chip size	:Rhombus 48x80x6mm	sqm/ctn	: 1.623 m²
sheet size :	266x305mm	pcs/ctn	: 20 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.47 kgs

48CUBE-T208

chip size	:Rhombus 48x80x6mm	sqm/ctn	: 1.623 m²
sheet size :	266x305mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.93 kgs

48CUBE-T501

chip size	:Rhombus 48x80x6mm	sqm/ctn	: 1.623 m²
sheet size :	266x305mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.93 kgs

48CUBE-T506

chip size	:Rhombus 48x80x6mm	sqm/ctn	: 1.623 m²
sheet size :	266x305mm	pcs/ctn	: 23 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.93 kgs

Mounted: mesh mounted

Simplicity Style-Rhombus

M48CUBE-T235

M48CUBE-T535

chip size :	Rhombus 48x80x6mm	pcs/ctn :	20 pcs	weight/ctn :	19.93 kgs
sheet size :	266x305mm	sqm/ctn :	1.623 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

52MorTN101M

Simplicity Style-Morocco

52MorTN101

52MorTN101M



52MorTN209



52MorTN209M

chip size :	Morocco 52x52x6mm	pcs/ctn :	20 pcs	weight/ctn :	17.67 kgs
sheet size :	293x245mm	sqm/ctn :	1.436 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Morocco

52MorTG305



52MorTG407

52MorTG501

chip size :	Morocco 52x52x6mm	pcs/ctn :	20 pcs	weight/ctn :	17.67 kgs
sheet size :	293x245mm	sqm/ctn :	1.436 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Fan

73FSTG101

73FSTG201

73FSTG203

73FSTG209

chip size :	Fan 73x73x6mm	pcs/ctn :	15 pcs	weight/ctn :	14.57 kgs
sheet size :	276x276mm	sqm/ctn :	1.143 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Fan

73FTG101

73FTG201

73FTG203

73FTG209

chip size :	Fan 73x73x6mm	pcs/ctn :	15 pcs	weight/ctn :	14.57 kgs
sheet size :	259x273mm	sqm/ctn :	1.061 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Fan

73FSTG402

chip size	:	Fan 73x73x6mm
sheet size	:	276x276mm
ctn/plt	:	54 ctns
sqm/ctn	:	1.143 m²
pcs/ctn	:	15 pcs
weight/ctn	:	14.57 kgs

73FTG402

chip size	:	Fan 73x73x6mm
sheet size	:	259x273mm
ctn/plt	:	54 ctns
sqm/ctn	:	1.061 m²
pcs/ctn	:	15 pcs
weight/ctn	:	14.57 kgs

Mounted：mesh mounted

Simplicity Style-Subway

4595TGB101

4595TGB305

4595TGB502

4595TNB101

chip size :	Brick Bevel 45x95x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	18.37 kgs
sheet size :	295.5x291mm	sqm/ctn :	1.548 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Simplicity Style-Subway

4595TNB201

4595TNB204

4595TNB209

4595TNB403

chip size :	Brick Bevel 45x95x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	18.37 kgs
sheet size :	295.5x291mm	sqm/ctn :	1.548 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Inkjet Ceramic

48TINK101

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.27 kgs

48TINK102

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.27 kgs

73TINK101

chip size :	73x73x6mm	sqm/ctn :	1.685 m²
sheet size :	306x306mm	pcs/ctn :	18 pcs
ctn/plt :	54 ctns	weight/ctn :	21.44 kgs

4595BTINK101

chip size :	45x95x6mm	sqm/ctn :	1.55 m²
sheet size :	291x296mm	pcs/ctn :	18 pcs
ctn/plt :	54 ctns	weight/ctn :	19.37 kgs

Mounted: mesh mounted

Inkjet Ceramic

4595FTINK101

4595FTINK102

4595FTINK521

4595FTINK525

chip size :	45x95x6mm	pcs/ctn :	18 pcs	weight/ctn :	17.39 kgs
sheet size :	291x296mm	sqm/ctn :	1.55 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Inkjet Ceramic

51HTINK101

chip size	:Hexagon 51x59x6mm	
sheet size	:	281x325mm
ctn/plt	:	54 ctns
sqm/ctn	:	1.827 m²
pcs/ctn	:	20 pcs
weight/ctn	:	21.87 kgs

M51HTINK214

chip size	:Hexagon 51x59x6mm	
sheet size	:	281x325mm
ctn/plt	:	54 ctns
sqm/ctn	:	1.827 m²
pcs/ctn	:	20 pcs
weight/ctn	:	20.79 kgs

Mounted：mesh mounted

Inkjet Ceramic

95HTINK101

95HTINK102

95HTINK203

95HTINK204

chip size :	Hexagon 95x110x6mm	pcs/ctn :	18 pcs	weight/ctn :	19.59 kgs
sheet size :	256x296mm	sqm/ctn :	1.364 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Inkjet Ceramic

95HTINK501

chip size	:Hexagon 95x110x6mm	sqm/ctn	: 1.364 m²
sheet size :	256x296mm	pcs/ctn	: 18 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.59 kgs

95HTINK502

chip size	:Hexagon 95x110x6mm	sqm/ctn	: 1.364 m²
sheet size :	256x296mm	pcs/ctn	: 18 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.59 kgs

48CUBTINK101

chip size	:Diamond 48x6mm	sqm/ctn	: 1.623 m²
sheet size :	266x305mm	pcs/ctn	: 20 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.17 kgs

48CUBTINK102

chip size	:Diamond 48x6mm	sqm/ctn	: 1.623 m²
sheet size :	266x305mm	pcs/ctn	: 20 pcs
ctn/plt :	54 ctns	weight/ctn	: 19.17 kgs

Mounted: mesh mounted

Inkjet Ceramic

48195LHTINK101

48195LHTINK214

48195LHTINK215

chip size :	Long Hexagon 48x195x6mm	pcs/ctn :	18 pcs	weight/ctn :	19.01 kgs
sheet size :	257.5x313mm	sqm/ctn :	1.448 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Normal Glazed

48TN330

48TN331



48TN334



48TN345

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.67 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Normal Glazed

M48TN331



M48TN338

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.07 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m^2	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Normal Glazed



23TN330



23TN331



23TN333



23TN334

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.37 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Normal Glazed



23TN337

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.37 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Pool-Crystal Glazed



48TG332



48TG333



48TG334



48TG337

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.01 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Crystal Glazed



48TG338



48TG339

48TG341



48TG343

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.01 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Crystal Glazed



48TG344



48TG345



48TG348

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.01 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Crystal Glazed

M48TG327

M48TG331



M48TG332



M48TG333

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.01 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m^2	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Crystal Glazed



M48TG336



M48TG337

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.01 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

23TG341

Pool-Crystal Glazed

23TG340



23TG341

23TG342



23TG343

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.37 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Pool-Crystal Glazed

23TG344

23TG345



23TG346

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.37 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Complicated Crack Glazed



48TC334



48TC336

48TC338



48TC345

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.57 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Complicated Crack Glazed



48TC347



48TC432

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.57 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Complicated Crack Glazed

23TC334



23TC336



23TC338



23TC345

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.37 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Complicated Crack Glazed



23TC347

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.37 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

48TS334

Pool-Simple Crack Glazed

48TS131



48TS333

48TS334



48TS336

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.47 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Simple Crack Glazed

48TS337



48TS338



48TS344

48TS436

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.47 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Pool-Simple Crack Glazed

M48TS324



M48TS333



M48TS424



M48TS443

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.47 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Simple Crack Glazed



23TS334



23TS336



23TS338



23TS436

chip size :	23x23x6mm	pcs/ctn :	20 pcs	weight/ctn :	21.37 kgs
sheet size :	300x300mm	sqm/ctn :	1.8 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

73TS436
Ceramic

Pool-Simple Crack Glazed

73TS334

73TS336



73TS338



73TS436

chip size :	73x73x6mm	pcs/ctn :	18 pcs	weight/ctn :	22.33 kgs
sheet size :	306x306mm	sqm/ctn :	1.685 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Simple Crack Glazed



M73TS433

chip size :	73x73x6mm	pcs/ctn :	18 pcs	weight/ctn :	22.33 kgs
sheet size :	306x306mm	sqm/ctn :	1.685 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Shading Glazed

23TSH303 (N)

chip size :	23x23x6mm	sqm/ctn :	1.8 m²
sheet size :	300x300mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	20.87 kgs



23TSH306 (N)

chip size :	23x23x6mm	sqm/ctn :	1.8 m²
sheet size :	300x300mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	20.87 kgs



48TSH303 (N)

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.87 kgs



48TSH306 (N)

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.87 kgs

Mounted: mesh mounted

Pool-Inkjet Glazed

48TINK301 (N)

48TINK302 (N)



48TINK308 (N)



48TINK309 (N)

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	22.87 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Inkjet Glazed



48TINK313 (N)

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.87 kgs

48TINK314 (N)

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.87 kgs



48TINK315

chip size :	48x48x6mm	sqm/ctn :	1.685 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.37 kgs



48TINK316

chip size :	48x48x6mm	sqm/ctn :	1.685 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.37 kgs

Mounted: mesh mounted

Pool-Inkjet Glazed



48TINK317

chip size :	48x48x6mm	sqm/ctn :	1.685 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.37 kgs

48TINK318 (N)

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.87 kgs



48TINK319 (N)

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.87 kgs

48TINK404 (N)

chip size :	48x48x6mm	sqm/ctn :	1.873 m²
sheet size :	306x306mm	pcs/ctn :	20 pcs
ctn/plt :	54 ctns	weight/ctn :	22.87 kgs

Mounted: mesh mounted

Pool-Inkjet Glazed

73TINK305



73TINK307



73TINK323



73TINK324

chip size :	73x73x6mm	pcs/ctn :	18 pcs	weight/ctn :	21.46 kgs
sheet size :	306x306mm	sqm/ctn :	1.685 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

M73TINK326

Pool-Inkjet Glazed



73TINK325



73TINK326

M73TINK326

chip size :	73x73x6mm	pcs/ctn :	18 pcs	weight/ctn :	21.46 kgs
sheet size :	306x306mm	sqm/ctn :	1.685 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Wavy Glazed



48TW303



48TW306

48TW402



M48TW323

chip size :	48x48x6mm	pcs/ctn :	20 pcs	weight/ctn :	20.17 kgs
sheet size :	306x306mm	sqm/ctn :	1.873 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Wavy Glazed





M48TW326

chip size :	48x48x6mm	sqm/ctn	: 1.873 m²
sheet size :	306x306mm	pcs/ctn	: 20 pcs
ctn/plt :	54 ctns	weight/ctn	: 20.17 kgs

M48TW423

chip size :	48x48x6mm	sqm/ctn	: 1.873 m²
sheet size :	306x306mm	pcs/ctn	: 20 pcs
ctn/plt :	54 ctns	weight/ctn	: 20.17 kgs

73TW311 (N)

chip size :	73x73x6.5mm	sqm/ctn	: 1.685 m²
sheet size :	306x306mm	pcs/ctn	: 18 pcs
ctn/plt :	54 ctns	weight/ctn	: 20.66 kgs

73TW312 (N)

chip size :	73x73x6.5mm	sqm/ctn	: 1.685 m²
sheet size :	306x306mm	pcs/ctn	: 18 pcs
ctn/plt :	54 ctns	weight/ctn	: 20.66 kgs

Mounted: mesh mounted

Pool-Wavy Glazed

73TW313 (N)

73TW315 (N)



73TW316 (N)

73TW318 (N)

chip size :	73x73x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	20.66 kgs
sheet size :	306x306mm	sqm/ctn :	1.685 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Wavy Glazed

M73TW327 (N)



M73TW335 (N)



M73TW336 (N)

chip size :	73x73x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	20.66 kgs
sheet size :	306x306mm	sqm/ctn :	1.685 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Wavy Glazed



95TW311 (N)



95TW313 (N)

95TW314 (N)



95TW316 (N)

chip size :	95x95x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	21.43 kgs
sheet size :	295.5x295.5mm	sqm/ctn :	1.572 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool-Wavy Glazed

M95TW324 (N)



M95TW327 (N)

M95TW334 (N)

95TW318 (N)

chip size :	95x95x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	21.43 kgs
sheet size :	295.5x295.5mm	sqm/ctn :	1.572 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Pool-Wavy Glazed

M95TW335 (N)



M95TW336 (N)

chip size :	95x95x6.5mm	pcs/ctn :	18 pcs	weight/ctn :	21.43 kgs
sheet size :	295.5x295.5mm	sqm/ctn :	1.572 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Pool Tile

SPT101

SPT209

SPT305

SPT307

chip size :	115x240x9mm	pcs/ctn :	36 pcs	weight/ctn :	19.50 kgs
sheet size :	115x240mm	sqm/ctn :	0.99 m²	ctn/plt :	60 ctns
Mounted :	Loose				

Pool Tile

SPAT101

SPAT209

SPAT305

SPAT307

chip size :	115x240x9mm	pcs/ctn :	36 pcs	weight/ctn :	19.50 kgs
sheet size :	115x240mm	sqm/ctn :	0.99 m²	ctn/plt :	60 ctns
Mounted :	Loose				

Pool Tile

SPTT101

SPTT209

SPTT305

SPTT307

chip size :	115x240x9mm	pcs/ctn :	36 pcs	weight/ctn :	20.61 kgs
sheet size :	115x240mm	sqm/ctn :	0.99 m²	ctn/plt :	60 ctns
Mounted :	Loose				

Pool Edge Tile

SPATE01

SPATE11

SPATE12

SPATE13



SPATE14

SPATE15

SPATE16

SPATE18

chip size :	115x240x9mm	pcs/ctn :	36 pcs	weight/ctn :	19.13 kgs
sheet size :	115x240mm	sqm/ctn :	0.99 m²	ctn/plt :	60 ctns
Mounted :	Loose				

Pool Edge Tile



SPATE307

SPATE317

chip size :	115x240x9mm	pcs/ctn :	36 pcs
sheet size :	115x240mm	sqm/ctn :	0.99 m²
Mounted :	Loose		
weight/ctn :	20.7 kgs		
ctn/plt :	60 ctns		

Pool Edge Tile

SPTG500

chip size :	115x240x22mm	sqm/ctn :	0.44 m²
sheet size :	115x240mm	pcs/ctn :	16 pcs
ctn/plt :	60 ctns	weight/ctn :	17.19 kgs



SPTG315

chip size :	115x240x22mm	sqm/ctn :	0.44 m²
sheet size :	115x240mm	pcs/ctn :	16 pcs
ctn/plt :	60 ctns	weight/ctn :	17.19 kgs



SPTGB315

chip size :	115x240x22mm	sqm/ctn :	0.44 m²
sheet size :	115x240mm	pcs/ctn :	16 pcs
ctn/plt :	60 ctns	weight/ctn :	18.03 kgs

Mounted : Loose

SPTG317

chip size :	115x240x22mm	sqm/ctn :	0.44 m²
sheet size :	115x240mm	pcs/ctn :	16 pcs
ctn/plt :	60 ctns	weight/ctn :	17.19 kgs

SPTGC317

chip size :	115x115x22mm	sqm/ctn :	0.36 m²
sheet size :	150x150mm	pcs/ctn :	16 pcs
ctn/plt :	60 ctns	weight/ctn :	12.51 kgs

SPTGB317

chip size :	115x240x22mm	sqm/ctn :	0.44 m²
sheet size :	115x240mm	pcs/ctn :	16 pcs
ctn/plt :	60 ctns	weight/ctn :	18.03 kgs

SPTGBC317

chip size :	115x115x22mm	sqm/ctn :	0.36 m²
sheet size :	150x150mm	pcs/ctn :	16 pcs
ctn/plt :	60 ctns	weight/ctn :	9.63 kgs

Mounted : Loose

SPTC101

chip size :	40x240x18mm	sqm/ctn :	0.58 m²
sheet size :	240x40mm	pcs/ctn :	60 pcs
ctn/plt :	60 ctns	weight/ctn :	19.12 kgs

SPTC101L

chip size :	40x240x18mm	sqm/ctn :	0.86 m²
sheet size :	240x60mm	pcs/ctn :	60 pcs
ctn/plt :	60 ctns	weight/ctn :	23.32 kgs

SPTC305

chip size :	40x240x18mm	sqm/ctn :	0.58 m²
sheet size :	240x40mm	pcs/ctn :	60 pcs
ctn/plt :	60 ctns	weight/ctn :	19.12 kgs

SPTC305L

chip size :	40x240x18mm	sqm/ctn :	0.86 m²
sheet size :	240x60mm	pcs/ctn :	60 pcs
ctn/plt :	60 ctns	weight/ctn :	23.32 kgs

Mounted : Loose

SPTL101

Pool Edge Tile

SPTL101

SPTL305

chip size :	115x240x14mm	pcs/ctn :	16 pcs	weight/ctn :	17.99 kgs
sheet size :	115x240mm	sqm/ctn :	0.44 m²	ctn/plt :	60 ctns
Mounted :	Loose				

Colorful Style-Square



M25TG356



M25TG454

M25TG553

M25TG653

chip size :	25x25x6mm	pcs/ctn :	18 pcs	weight/ctn :	18.83 kgs
sheet size :	302x302mm	sqm/ctn :	1.64 m^2	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colorful Style-Square



M25TG952

chip size :	25x25x6mm	pcs/ctn :	18 pcs	weight/ctn :	18.83 kgs
sheet size :	302x302mm	sqm/ctn :	1.64 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colorful Style-Circle



D19TG152



D19TG251



D19TG369

D19TV253

chip size :	Circle 19x6mm	pcs/ctn :	22 pcs	weight/ctn :	20.93 kgs
sheet size :	290x314mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Colorful Style-Circle

D19TV352

D19TV353



D19TV355

D19TV451

chip size :	Circle 19x6mm	pcs/ctn :	22 pcs	weight/ctn :	20.93 kgs
sheet size :	290x314mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colorful Style-Circle



D19TV453



D19TV464



D19TV551



D19TV555

chip size :	Circle 19x6mm	pcs/ctn :	22 pcs	weight/ctn :	20.93 kgs
sheet size :	290x314mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colorful Style-Circle



D19TV654



D19TV951



D19TV955

chip size :	Circle 19x6mm	pcs/ctn :	22 pcs	weight/ctn :	20.93 kgs
sheet size :	290x314mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colorful Style-Triangle

3TG351



3TG352



3TG356



3TG357

chip size :	Triangle	pcs/ctn :	22 pcs	weight/ctn :	22.91 kgs
sheet size :	301x301mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colorful Style-Triangle



3TG361



3TG364

3TG367

3TG555

chip size :	Triangle	pcs/ctn :	22 pcs	weight/ctn :	22.91 kgs
sheet size :	301x301mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colorful Style-Triangle

3TG565

3TN151

3TN259

3TV253

chip size :	Triangle	pcs/ctn :	22 pcs	weight/ctn :	22.91 kgs
sheet size :	301x301mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				



Colorful Style-Triangle



3TV355



3TV854

chip size :	Triangle	pcs/ctn :	22 pcs	weight/ctn :	22.91 kgs
sheet size :	301x301mm	sqm/ctn :	2 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Colored Pattern

23TP808

chip size :	23x23x8mm	sqm/ctn :	0.99 m²
sheet size :	300x300mm	pcs/ctn :	11 pcs
ctn/plt :	54 ctns	weight/ctn :	16.09 kgs



24TP307

chip size :	24x24x8mm	sqm/ctn :	0.99 m²
sheet size :	300x300mm	pcs/ctn :	11 pcs
ctn/plt :	54 ctns	weight/ctn :	16.09 kgs

24TP907

chip size :	24x24x8mm	sqm/ctn :	0.99 m²
sheet size :	300x300mm	pcs/ctn :	11 pcs
ctn/plt :	54 ctns	weight/ctn :	16.09 kgs

Mounted: mesh mounted

Water Color



45TWC203

45TWC502

45TWC806

M45TWC21

chip size :	45x45x8mm	pcs/ctn :	11 pcs	weight/ctn :	16.64 kgs
sheet size :	300x300mm	sqm/ctn :	0.99 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Water Color

M45TWC43

M45TWC47

M45TWC66

M45TWC83

chip size :	45x45x8mm	pcs/ctn :	11 pcs	weight/ctn :	16.64 kgs
sheet size :	300x300mm	sqm/ctn :	0.99 m²	ctn/plt :	54 ctns
Mounted :	mesh mounted				

Ceramic & Resin Mix



M15TNR11



M15TNR12



M15TNR26

chip size :	15x15x8mm	pcs/ctn :	11 pcs	weight/ctn :	14.35 kgs
sheet size :	305x305mm	sqm/ctn :	1.02 m²	ctn/plt :	72 ctns
Mounted :	mesh mounted				

INSTRUCTION FOR MOSAIC INSTALLATION

1. Prepare the substrate
The substrate should be smooth, clean, dust-free and waterproof.
If you take the waterproof measures, remember to do it at least one day in advance. Generally the waterproof coating will completely dry after 24 hours.
If there is dust on the wall, you can apply a layer of varnish first, and dry it after 24 hours.
If there is a socket, remove the panel of the socket and install it after the paving is completed.

2. Prepare for the tools and materials
Materials:
Choose the suitable adhesive and joint mixture.

Tools:

Electric Drill

Notched Spatula

Rubber Float

Rigid Cellulose Sponge

Spacer

Spirit Level

Trowel

Grout Sealer

Diamond Glass Cutting Tools

Wet Saw

3. Installation steps:

After confirming that the wall is flat and ash less, you can start paving.

First, mark the position. If the wall has an inner corner and an outer corner, the horizontal line needs to ensure that the outer corner mosaic is complete and cut the inner corner only. If it is for kitchen backsplash, it needs to ensure that the mosaic at the vertical line which touches the countertop is complete. Please make sure that the quantity of the mosaic is enough. And please be careful to disconnect the power of the outlet before installation.

Second, mixed the adhesive. Adhesive generally sell in barrels. You can use this bucket directly. You should add water according to the proportion on the package. Remember do not add too much water at a time, a little bit is ok. Mortar will be very sticky. You can be mixed with an electric drill or a trowel. Also note that if the place is large, such as a swimming pool, don't mix too much at a time, because the mortar has about four hours of work time, and the outdoor will be shorter.

In addition, prepare a bucket of water, when you rest, you can put the trowel in the water, or it will be difficult to wash. You need to scrape the adhesive on the wall from bottom to top. The first sheet is installed at the side of the outer wall and at the bottom, then up and on the other side. And it is better to use a tile spacer between each sheet to keep the seams from being misaligned. Each patch should be flattened. It can be hammered with a wooden board or compacted with a rubber sheet.

After 24 hours of paving, the joint can be filled. Scraping the adhesive back and forth with a 45-degree angle to ensure that each joint is filled. Note that the tile spacer should be removed before filling the joint. Wipe off the excrescent adhesive with a clean and large sponge. Note that you should wash the sponge before you wipe it each time.

Usually we will prepare a few buckets, to wash most of the grout in the first bucket, then wash in the second bucket, at last it will be very clean in the third bucket. After the excrescent adhesive is cleaned, the grout is almost dry, but there is still a layer of residue on the surface. It should use a clean soft dry cloth to wipe off the surface residue.

1. Preparing substrates

2. Prepare tools

3. Preparing adhesives

4. Apply the adhesives to the substrates

5. Apply the tile sheet

6. Cut off the excess and fit the mosaic edge

7. Fill the edges

8. Apply the grout to the tile sheet surface

9. Use a soft towel to remove excess adhesive on the surface

10. Curing for 24 hours before use

DISCLAIMER

Our mosaic images are product images.

These can differ from the original sheet,depending on personal impressions,bathes,optic,natural stone material variations,monitor color variation and printing methods.

Also the color Random mixed color mosaics images may also differ from the original mosaic sheet, because the paving arrangement is also a random match, can not be exactly the same as the product image we displayed.

We highly recommend to have a look at the original mosaic and to order enough sheets for the installation.
We cannot always guarantee the delivery of the same batch in your reorders.

All information is provided without warranty,errors and omissions expected.

QUALITY MANAGEMENT

Our quality is about more than a certification or the QC process. Quality relies on the attitude to the products consistency and customer's trust. It combines the production speed, flexibility, teamwork and attention to the details. More important, it is about how we view our obligation and how we respond to the needs.

Check the size

Check the color

Checking the overall effect

Check the packing

Check the container

Check the loading and take photo for stock

TEST REPORT

Enamel Mosaic

Properties	Test Standard	Requirements	Results
Water Absorption	ASNI A 137.2 -2019	≤0.5%	0.02~0.06%
Compressive Strength,in N/mm²	ASNI A 137.2 -2019	≥17.24	18.1
Chemical Resistance	ASNI A 137.2 -2019	—	Not Affected
Chemical Resistance Class	ASNI A 137.2 -2019	—	Class A
Stain Resistance	ASNI A 137.2 -2019	—	Not Affected
Thermal Shock Resistance	ASNI A 137.2 -2019	Pass	Fully Resistance
Freeze/Thaw Cycling Resistance	ASNI A 137.2 -2019	Pass	None of tiles show evidence of degradation,shipping or crack after 15 cycles.
Scratch hardness of surface according to Mohs	EN 15771:2010	—	5
Lead and Cadmium Release			
a) Lead release,in mg/dm²	ASTM C 895-87(2014)	—	<0.1
b) Cadmium release,in mg/dm²	ASTM C 895-87(2014)	—	<0.02
Slip Resistance			
The following standards&performance are for antislip enamel only.			
Slip Resistance(Oil-wet inclining platform test method)	DIN 51130:2014	—	Corrected mean overall acceptance angle ages : 15.2° Classification：R10
Slip Resistance(Wet-barefoot inclining platform test method)	DIN 51097:1992	—	Mean angle of inclination: 19 ° Quality group：B

TEST REPORT

Ceramic Mosaic

Properties	Test Standard	Requirements	Results
Physical Properties			
Water Absorption	ISO 13006:2018	$E_v \leq 0.5\%$	0.08%
		Individual maximum 0.6%	0.07~0.09%
Breaking Strength,in N	ISO 13006:2018	≥700	1145
Modulus of rupture, in N/mm²	ISO 13006:2018	Minimum 35	68.7
		Individual maximum 32	63.2~72.1
Abrasion Resistance	ISO 13006:2018	Report abrasion class	Class 3
		Report cycles passed	750
Thermal Shock Resistance	ISO 13006:2018	—	Fully Resistance
Crazing Resistance	ISO 13006:2018	—	Fully Resistance
Frost Resistance	ISO 13006:2018	—	Fully Resistance
Chemical Properties			
Resistance to Staining	ISO 13006:2018	Minimum Class 3	Class 5
Resistance to Chemicals			
Resistance to household chemicals and swimming pool salts	ISO 13006:2018	Minimum B	A
Resistance to low concentrations of acids and alkalis	ISO 13006:2018	Manufacturer to state classification	LA
Resistance to high concentrations of acids and alkalis	ISO 13006:2018	—	HA
Lead and Cadmium Release			
a) Lead release,in mg/dm²	ISO 13006:2018	—	<0.02mg/dm²
b) Cadmium release,in mg/dm²	ISO 13006:2018	—	<0.003mg/dm²

Globalbridge